Anaesthesia

Journal of the Association of Anaesthetists of Great Britain and Ireland

Volume 59, 2004

Blackwell
Publishing

Contents – Volume 59

Number 1, January 2004

Editorial

1 The syringe is mightier than the pen *D. Bogod*

Original articles

3 Therapeutic impact of intra-operative trans-oesophageal echocardiography during noncardiac surgery *C. K. Hofer, A. Zollinger, M. Rak, S. Matter-Ensner, R. Klaghofer, T. Pasch and M. P. Zalunardo*

10 The effect of nitrous oxide on cerebral blood flow velocity in children anaesthetised with sevoflurane *D. A. Rowney, R. Fairgrieve and B. Bissonnette*

15 A comparison of 8% and 12% sevoflurane for inhalation induction in adults *N. Goodwin, A. E. Campbell, J. E. Hall, S. Plummer and M. Harmer*

20 A pilot study of evaluation of cerebral function by S100β protein and near-infrared spectroscopy during cold and warm cardiopulmonary bypass in infants and children undergoing open-heart surgery *M. Shaaban Ali, M. Harmer, M. Elliott, A. L. Thomas and F. Kirkham*

27 Assessment of tracheal intubation in children after induction with propofol and different doses of remifentanil *J. M. Blair, D. A. Hill, C. M. Wilson and J. P. H. Fee*

34 Simple bedside assessment of level of consciousness: comparison of two simple assessment scales with the Glasgow Coma scale *A. F. McNarry and D. R. Goldhill*

38 Bougie-assisted difficult airway management in a manikin – the effect of position held on placement and force exerted by the tip *I. Hodzovic, A. R. Wilkes and I. P. Latto*

44 Anaesthetic management in facial bipartition surgery: The experience of one centre *S. Mallory, L. H. Yap, B. M. Jones and R. Bingham*

52 Entropy during propofol hypnosis, including an episode of wakefulness *R. E. Anderson, G. Barr, A. Öwall and Jan Jakobsson*

57 Unplanned admission rates and postdischarge complications in patients over the age of 70 following day case surgery *R. J. Aldwinckle and J. E. Montgomery*

Review article

60 Peri-operative β-blockade and haemodynamic optimisation in patients with coronary artery disease and decreasing exercise capacity presenting for major noncardiac surgery *B. M. Biccard*

Apparatus

69 Problems with capnography at high altitude *K. Pattinson, S. Myers and C. Gardner-Thorpe*

73 Comparison of four different emergency airway access equipment sets on a human patient simulator *B. S. Vadodaria, S. D. Gandhi and A. K. McIndoe*

80 A prospective, randomised clinical evaluation of a new safety-orientated injectable drug administration system in comparison with conventional methods *C. S. Webster, A. F. Merry, P. H. Gander and N. K. Mann*

Correspondence

88 Clinical governance in pain management *S. Vashisht C. Price*

89 Fresh frozen plasma for succinylcholine apnoea *C. C. Harle, R. McKendrick S. H. Vohra and R. Dabas*

90 Training in airway management *T. Asai and I. P. Latto*

91 Cricoid pressure *R. G. Vanner N. Haslam and J. E. Duggan*

92 Images in clinical anaesthesia: extrathoracic post-traumatic lung herniation *P. K. Bui and K. M. Kuczkowski*

93 Pain and intramuscular injections *J. M. Cupitt and V. Kasipandian*

93 Disposable laryngoscopes are not always inferior to non-disposable laryngoscopes *T. Asai A. Evans, R. S. Vaughan, J. E. Hall, J. Mecklenburgh and A. R. Wilkes*

94 White cell count and intensive care unit outcome: rethinking the vocabulary *M. Steiner and P. Schuff-Werner N. Soni*

94 Peripartum anaesthetic management of a parturient with spinal cord injury and autonomic hyperreflexia *M. P. Ribes Pastor and M. Vanarase*

94 Caesarean section in a parturient with type III spinal muscular atrophy and pre-eclampsia *R. Kitson, V. Williams and C. Howell*

95 Upper airway obstruction in a patient with a tracheostomy *R. McKendrick, V. Godbole and J. M. Cupitt*

96 An audit of an audit: local causes of inaccuracy in 'Who operates when II?' *R. Hugh James*

96 Introductory day for new college tutors *F. M. Dodd*

97 Modified Magill's forceps revisited *L. Sims, A. Patel and D. Enderby*

97 Theoretical value of Hüfner's constant *V. Gorelov*

© 2004 Blackwell Publishing Ltd

98 Confusion relating to drug syringe labels *J. Loader R. J. S. Birks*
98 Another foreign body in a laryngeal mask airway *S. B. Vohra*

Abstracts
100 Abstracts from the Society of Intravenous Anaesthesia (UK)'s Annual Scientific Meeting in Glasgow, 30–31 May 2003
103 Deaths of members reported to Council October 2002 to September 2003
104 Erratum
i Instructions to Authors

Number 2, February 2004

Editorial
105 Checking anaesthetic equipment and the Expert Group on Blocked Anaesthetic Tubing (EGBAT) *J. A. Carter*

Original articles
108 Continuous haemodynamic monitoring using transoesophageal Doppler during acute normovolaemic haemodilution in patients with coronary artery disease *M. Licker, J. Sierra, D. Tassaux and J. Diaper*
116 The effect of pre-operative administration of midazolam on the development of intra-operative hypothermia *K. Toyota, S. Sakura, Y. Saito, H. Ozasa and H. Uchida*
122 The influence of esmolol on the dose of propofol required for induction of anaesthesia *E. S. Wilson, S. McKinlay, J. M. Crawford and H. M. Robb*
127 Patient maintained sedation for colonoscopy using a target controlled infusion of propofol *L. Campbell, G. Imrie, P. Doherty, C. Porteous, K. Millar, G. N. C. Kenny and G. Fletcher*
133 Comparison of patient-controlled epidural bolus administration of 0.1% ropivacaine and 0.1% levobupivacaine, both with 0.0002% fentanyl, for analgesia during labour *N. L. Purdie and E. M. McGrady*
138 Synacthen Depot® for the treatment of postdural puncture headache *M. W. M. Rucklidge, S. M. Yentis and M. J. Paech*
142 Acupuncture compared to placebo-acupuncture for postoperative nausea and vomiting prophylaxis: A randomised placebo-controlled patient and observer blind trial *K. Streitberger, M. Diefenbacher, A. Bauer, R. Conradi, H. Bardenheuer, E. Martin, A. Schneider and K. Unnebrink*

Review article
150 Watson and Crick 50 years on. From double helix to pharmacogenomics *B. P. Sweeney*

Special article
166 Improving anaesthetists' communication skills *C. Harms, J. R. Young, F. Amsler, C. Zettler, D. Scheidegger and C. H. Kindler*

Apparatus
173 Comparison of the Williams Airway Intubator and Ovassapian Fibreoptic Intubating Airway for fibreoptic orotracheal intubation *K. B. Greenland, M. C. Lam and M. G. Irwin*
177 Latex-free reservoir bags: exchanging one potential hazard for another *H. J. Blanshard and M. R. Milne*

Historical note
180 Another look at Dumfries *L. V. H. Martin*

Correspondence
188 Kinetics of sevoflurane uptake by the brain *G. B. Drummond S.-T. Ho*
189 Remifentanil to reduce pain on injection of propofol *G. Basaranoglu K. D. Röhm, S. N. Piper and J. Boldt*
190 'Blind' epidural blood patch for spontaneous intracranial hypotension *A. Cohen and M. Jesuthasan*
191 Trouble with a TOE *T. J. Papadimos*
192 A new device for easier handling of the transoesophageal echocardiography probe *A. B. Abchee, C. I. Yaacoub, M. S. Rizk and C. M. Ayoub*
192 Temperature measurement after severe head injury *C. Childs, J. Hadcock, A. Ray, A. T. King and R. Protheroe*
193 Air emphysema in the neck after excision of a thyroglossal cyst *O. R. Dearlove and J. Bowen*
194 Alpha agonists for anaphylaxis *M. E. McBrien*
194 Inadvertent myocardial biopsy by a trapped Seldinger wire *J. Harding and M. Nevin*
195 Inducing anaesthesia in the operating theatre *P. Evans*
196 Shoulder supports, brachial plexus injury and head-down tilt *J. Craig*
196 A rare side-effect of intravenous salbutamol *M. Girgis and Q. Milner*
197 Ventilator-assisted nasotracheal intubation *A. Butwick and D. Garewal*
197 Easier nasogastric tube insertion *M. Flegar and A. Ball*
197 Packaging of generic diclofeanc suppositories *A. Kitsberg and P. Belavadi S. Sharma*
198 PCA in a patient with bilateral upper limb weakness *P. K. Prabhu*
198 Intravenous magnesium sulphate and salbutamol for asthma *W. F. S. Sellers*

© 2004 Blackwell Publishing Ltd

198 Anaesthesia for quinsy *D. Baines*
199 The nasal intubation aid *F. Spears*
199 Preparation for terrorist attacks *G. Gould, S. Kerr and N. Prophet*
199 Logo for AAGBI *P. Knight and R. Maltby*

Online Correspondence

200 A response to 'Sudden deaths during hip hemi-arthroplasty', Parry G, *Anaesthesia* 2003; **58**: 922–23 *L. Werner*
200 In response to 'Difficult airway alert', Dunstan C R and Caesar H, *Anaesthesia* 2003; **58**: 918–19 *D. R. Ball and P. Jefferson*
201 A response to 'Pharmacokinetics of sevoflurane uptake into the brain and body', Lu C C, Tsai C S, Ho S T, Chen W Y, Wong C S, Wang J J, Hu O Yp and Lin C Y, *Anaesthesia* 2003; **58**: 951–56 *K. Dorrington*
201 A response to 'The use of remifentanil for intubation in paediatric patients during sevoflurane anaesthesia guided by Bispectral Index (BIS) monitoring', Weber F, Füssel U, Gruber M and Hobbhahn J, *Anaesthesia* 2003; **58**: 746–55 *A. George*
201 A response to a response to 'The use of remifentanil for intubation in paediatric patients during sevoflurane anaesthesia guided by Bispectral Index (BIS) monitoring', Weber F, Füssel U, Gruber M and Hobbhahn J, *Anaesthesia* 2003; **58**: 746–55 *F. Weber*
202 A response to 'Whose distress is it anyway? "fetal distress" and the 30-minute rule', Yentis S M, *Anaesthesia* 2003; **58**: 732–34 *A. George*
202 A response to 'Avoiding adverse outcomes when faced with "difficulty with ventilation"', Bell D, *Anaesthesia* 2003; **58**: 945–948 *A. Lake*
203 A response to a response to 'Pharmacokinetics of sevoflurane uptake into the brain and body', Lu C C, Tsai C S, Ho S T, Chen W Y, Wong C S, Wang J J, Hu O Yp and Lin C Y, *Anaesthesia* 2003; **58**: 951–56 *S.-T. Ho*
203 A response to 'Consent and anaesthetic risk', Jenkins K and Baker A B, *Anaesthesia* 2003; **58**: 962–84 *S. Crowe*
204 A response to 'Patient safety', Levison A, *Anaesthesia* 2003; **58**: 1236, and 'Sleep deprivation and performance', Price S R, *Anaesthesia* 2003; **58**: 1238–9. *F. Arnstein*
204 A response to 'Bougie trauma – it is still possible', Prabhu A, Pradham P, Sanaka R and Bilolikar A, *Anaesthesia* 2003; **58**: 811–12 *P. Armstrong and W. F. S. Sellers*

Abstracts

205 Abstracts from the British Ophthalmic Anaesthesia Society Annual Conference in Chester, 26–27 June 2003

209 Book reviews

Number 3, March 2004

Editorial

211 Editorial 1. Pre-preparation of succinylcholine: significant waste for questionable benefit *A. M. Gurung and A. A. Tomlinson*
213 Editorial 2. Design issues for studies into prevention of chronic pain: lessons from post-herpetic neuralgia *W. Opstelten, A. J. M. van Wijck and K. G. M. Moons*

Original articles

216 Pharmacokinetics of desflurane uptake into the brain and body *C. C. Lu, C. S. Tsai, S. T. Ho, C. M. Chueng, J. J. Wang, C. S. Wong, S. Y. Chang and C. Y. Lin*
222 A randomised, controlled study of peri-operative low dose s(+)-ketamine in combination with postoperative patient-controlled s(+)-ketamine and morphine after radical prostatectomy *D. G. Snijdelaar, H. B. Cornelisse, R. L. Schmid and J. Katz*
229 The effects of indomethacin on intracranial pressure and cerebral haemodynamics in patients undergoing craniotomy: A randomised prospective study *M. Rasmussen, A. Tankisi and G. E. Cold*
237 Subcutaneous tissue oxygen tension after coronary revascularisation with and without cardiopulmonary bypass *C. Cody, D. J. Buggy B. Marsh and D. C. Moriarity*
243 The effect of positive airway pressure during pre-oxygenation and induction of anaesthesia upon duration of non-hypoxic apnoea *A. Herriger, Ph. Frascarolo, D. R. Spahn and L. Magnusson*
248 Measuring tracheal airway pressures during transtracheal jet ventilation: an observational study *C. Patel and A. Diba*
252 Pressures within air-filled tracheal cuffs at altitude – an *in vivo* study *J. Henning, P. Sharley and R. Young*

Review article

255 Thrombocytopenia in the parturient *P. C. A. Kam, S. A. Thompson and A. C. S. Liew*

Apparatus

265 The moisture-conserving performance of breathing system filters during the first three minutes of simulated use *A. R. Wilkes*
271 The moisture-conserving performance of breathing system filters in use with simulated circle anaesthesia breathing systems *A. R. Wilkes*
278 The effect of gas flow on the filtration performance of breathing system filters *A. R. Wilkes*

Case reports

283 Angiotensin-converting enzyme inhibitor related angioedema and the anaesthetist *M. R. Rai, F. Amen and F. Idrees*

© 2004 Blackwell Publishing Ltd

290 Local anaesthesia and sedation for rigid bronchoscopy for emergency relief of central airway obstruction *I. D. Conacher and E. Curran*
293 Viral gastroenteritis – a danger to the patient, a danger to the staff *R. Appelboam and E. Hammond*

Correspondence
296 CPR for the canary *K. Stuart-Smith*
297 ICU, cervical collars and immobilisation *P. S. Jones and M. Healy*
C. G. Morris and E. McCoy
299 Nasotracheal intubation in a patient with maxillo-facial and basal skull fractures *B. B. Lee*
L. E. Shut and C. E. J. Hall
300 Use of the laryngeal tube during emergence from anaesthesia in a patient with an unstable neck *T. Asai and K. Shingu*
301 Capnography vs. bronchoscopy for percutaneous tracheostomy placement *M. Gründling, D. Pavlovic, S.-O. Kuhn and F. Feyerherd*
A. Mallick and S. C. Elliot
302 Internal jugular vein thrombophlebitis secondary to oropharyngeal infection with *Fusobacterium necrophorum* *M. B. Khakhar, H. Al-Sahaf and L. Neville*
303 Difficult intubation due to ossification of the anterior longitudinal ligament *M. Bougaki, S. Sawamura, F. Matsushita and K. Hanaoka*
304 Check the capnograph *P. Gauthama and E. Morris*
305 Change of datasheet for ketorolac *R. Knaggs and M. W. Bennett*
N. Solomons
305 Unusual complication during knee arthroscopy *O. D. Tommaso, A. Nisticò and A. Vitullo*
306 Isoflurane damage to a Draeger Primus anaesthetic machine *T. Vemmer, R. Srikiran and B. Liban*
D. Black
307 Desflurane spillage during refilling *G. D. Wearne K. S. Allenby and H.-J. Balvert*
308 Perineal pruritus and dexamethasone *K. M. Kuczkowski*
309 Cerebral oximetry and an unanticipated circulatory arrest *T. J. Papadimos and A. P. Marco*
310 Unexpected failure of a laryngoscope *M. K. Doddi and B. H. Heidemann*
310 A better pill to swallow? *K. Ramachandran, L. Vries and R. Haden*
311 Local causes of inaccuracy in 'Who operates when? II' *A. J. G. Gray*

311 Erratum

312 Book review

Number 4, April 2004

Editorial
313 Editorial 1. Nitrous oxide or remifentanil for the 'at risk' brain *S. M. Hancock and M. H. Nathanson*
316 Editorial 2. Ethics again – hoops, loops and principles *S. M. Yentis*

Original articles
318 Peri-operative troponin I concentration as a marker of long-term postoperative adverse cardiac outcomes – A study in high-risk surgical patients *H. Higham, J. W. Sear, Y. M. Sear, M. Kemp, R. J. L. Hooper and P. Foex*
324 Haemodynamic effects of a milrinone infusion without a bolus in patients undergoing off-pump coronary artery bypass graft surgery *Y. L. Kwak, Y. J. Oh, H. K. Shinn, K. J. Yoo, S. H. Kim and Y. W. Hong*
332 Second and subsequent surgical operations within 12 months of a first operation *R. M. Haden and P. V. Scott*
337 Odour identification as a marker for postoperative cognitive dysfunction: A pilot study *P. Rentoul and C. D. Hanning*
344 Cerebral and extracerebral release of protein S100B in cardiac surgical patients *S. A. Snyder-Ramos, T. Grühlke, H. Bauer, M. Bauer, A. P. Luntz, J. Motsch, E. Martin, C. F. Vahl, U. Missler, M. Wiesmann and B. W. Böttiger*
350 The effect of epidural analgesia in labour on maternal respiratory function *B. S. von Ungern-Sternberg, A. Regli, E. Bucher, A. Reber and M. C. Schneider*
354 Pre-operative information and patient-controlled analgesia: much ado about nothing *G. M. Chumbley, L. Ward, G. M. Hall and P. Salmon*
359 The tenth rib line as a new landmark of the lumbar vertebral level during spinal block *C.-W. Jung, J.-H. Bahk, J.-H. Lee and Y.-J. Lim*

Review articles
364 Dantrolene – A review of its pharmacology, therapeutic use and new developments *T. Krause, M. U. Gerbershagen, M. Fiege, R. Weißhorn and F. Wappler*
374 Sleep disruption in critically ill patients – pharmacological considerations *R. S. Bourne and G. H. Mills*

Apparatus
385 Evaluation of a new continuous cardiac output monitor in off-pump coronary artery surgery *H. A. Leather, A. Vuylsteke, C. Bert, W. M'Fam, P. Segers, P. Sergeant, E. Vandermeersch and P. F. Wouters*

© 2004 Blackwell Publishing Ltd

390 Forehead SpO_2 monitoring compared to finger SpO_2 recording in emergency transport *M. Nuhr, K. Hoerauf, A. Joldzo, N. Frickey, R. Barker, L. Gorove, T. Puskas and A. Kober*

Historical note

394 The short, tragic life of Robert M. Glover *R. J. Defalque and A. J. Wright*

Case report

401 Disruption of cleft palate repair following the use of the laryngeal mask airway *N. S. Somerville, S. Fenlon, J. Boorman and M. Abbot*

Correspondence

404 On research and originality *A. M.-H. Ho, M. K. Karmakar and P. W. Dion*
D. Bogod
405 Cardiac risk scoring *P. Jefferson and D. R. Ball*
B. M. Biccard
406 Monitoring and redundancy *M. S. Patri and D. R. Ball*
406 Ethics of training in regional anaesthesia *C. Bartley and J. M. Shelton*
407 Nitrous oxide in neuroanaesthesia *J. Barker*
407 Can patients tell where epidural catheters go? *T. Asai, K. Shingu, S. Taniguchi and K. Fujise*
407 Malposition of a left-sided central venous pressure line *K. M. Ni, J. C. Watts and S. S. Panditaratne*
408 Use of the laryngeal tube by paramedic staff *T. Asai*
409 Less invasive lung volume reduction surgery *D. J. Viira*
409 Why 5% risk of type-1 error but 20% risk of type-2 error? *W. W. Mapleson*
410 A new video laryngoscope *A. C. D. Thompson*
410 Hazards of submental tracheal intubation *F. B. Ahmed and V. Mitchell*
411 Mentor system for anaesthesia trainees *G. Gould*
411 Hand washing *N. Levy and J. Mauger*
411 Acute orbital cellulitis after sub-Tenon's eye block *M. M. K. Muqit, S. Saidkasimova and M. Gavin*
413 Reluctance of anaesthetists to perform awake intubation *A. G. L. Allan*
413 Dystonic reaction to cyclizine *M. Michailidou and T. Peck*
414 Quick calculations for infusions *E. C. Horan*
414 Malfunctioning transducer cable causes underestimation of arterial blood pressure *S. Ishikawa, K. Nakazawa and K. Makita*

415 Book reviews

416 Erratum

Number 5, May 2004

Editorial

417 Ideal peri-operative management of patients with cardiovascular disease: the quest continues *J. P. Thompson*

Original articles

422 Timing of high-risk vascular surgery following coronary artery bypass surgery: A 10-year experience from an academic medical centre *P. Breen, J.-W. Lee, F. Pomposelli and K. W. Park*
428 The management of patients with ischaemic heart disease undergoing non-cardiac elective surgery: A survey of Australian and New Zealand clinical practice *D. J. Price, M. T. Kluger and T. Fletcher*
435 The effect of mechanically-induced cricoid force on lower oesophageal sphincter pressure in anaesthetised patients *A. Garrard, A. E. Campbell, A. Turley and J. E. Hall*
440 Initial experiences with medicinal extracts of cannabis for chronic pain: Results from 34 'N of 1' studies *W. Notcutt, M. Price, R. Miller, S. Newport, C. Phillips, S. Simmons and C. Sansom*
453 Non-invasive monitoring of haemoglobin concentration in paediatric surgical patients using near-infrared spectroscopy *A. Dullenkopf, U. Lohmeyer, B. Salgo, A. C. Gerber and M. Weiss*
459 Varying anatomical injection points within the thoracic paravertebral space: effect on spread of solution and nerve blockade *M. Z. Naja, M. F. Ziade, M. El Rajab, K. El Tayara and P. A. Lönnqvist*

Review articles

464 Clearing the cervical spine in unconscious polytrauma victims, balancing risks and effective screening *C. G. T. Morris and É. McCoy*
483 Tissue factor and tissue factor pathway inhibitor *G. C. Price, S. A. Thompson and P. C. A. Kam*

Special article

493 Evidence-based strategies for preventing drug administration errors during anaesthesia *L. S. Jensen, A. F. Merry, C. S. Webster, J. Weller and L. Larsson*

Correspondence

505 Emergency airway access equipment *S. Q. M. Tighe, M. Staber, J. G. Hardman and J. J. Henderson*
S. Merron and M. Lim
B. Vadodaria, S. Gandhi and A. McIndoe
507 Validity of near-infrared cerebral spectroscopy *K. Pattinson, T. Clutton-Brock and C. Imray*
M. Shaaban Ali, F. Kirkham and M. Harmer
509 State of the art: critical care *R. M. Grounds and E. D. Bennett*
S. Ridley

© 2004 Blackwell Publishing Ltd

510 An unusual postoperative burn *P. Zuokumor*
510 Analgesic requirements in morbidly obese patients *S. Batistich, A. Kendall and S. Somers*
511 Placement of a central line in the prone position *R. E. Bullock and J. Anto*
511 Failure of antireflux valve in a Vygon PCA set *J. Rutherford and M. Patri*
G. Milward
512 Interpretation of 'clear fluids' in paediatric practice *L. Ng, A. Darugar and I. Volikas*
513 Masseter muscle spasm following atracurium *K. Reddy and L. Bromley*
513 Use of the videolaryngoscope *T. Asai and K. Shingu*
514 Not all Mapleson C circuits are the same *C. E. Baker*
514 Tracheobronchial placement of a feeding tube: another method of detection *V. Datt, D. K. Tempe, S. Virmani and A. Banerjee*
515 Tied up in knots *J. S. D. Allen and S. T. Webb*
515 An unusual first presentation of myasthenia gravis *C. Bailey, G. Menon and H. Saxena*
516 Magnet-safe is not the same as magnet compatible in the MR scanner *S. J. Keens and A. S. Laurence*
517 Accidental decannulation after surgical tracheostomy *K. Rauf and J. W. Zwaal*
T. Morris

Online Correspondence

518 A response to 'Patients safety', Levison A, *Anaesthesia* 2003; **58**: 1236 and 'Sleep deprivation and performance', Price S R, *Anaesthesia* 2003; **58**: 1238 *F. Arnstein*
518 A response to 'Patients ideas of surgical risk', Palmer J, *Anaesthesia* 2003; **58**: 1239 *E. Whyte and D. R. Ball*
J. Palmer
518 A response to 'Cannabis abuse and anaesthesia', Mills P M and Penfold N, *Anaesthesia* 2003; **58**: 1125 *W. Notcutt and D. Rangappa*
P. Mills
519 A response to 'Advances in neuroanaesthesia', Hirsch N, *Anaesthesia* 2003; **58**: 1162–5 *D. M. Levy*
N. Hirsch
519 A response to 'A pilot study of evaluation of cerebral function by S100B protein and near-infrared spectroscopy during cold and warm cardiopulmonary bypass in infants and children undergoing open-heart surgery' Shaaban Ali M, Harmer M, Elliott M, Lloyd Thomas A and Kirkham F, *Anaesthesia* 2003; **59**: 20–6 *R. P. Alston*
M. Shaaban Ali
520 A response to 'Peri-operative β-blockade and haemodynamic optimisation in patients with coronary artery disease and decreasing exercise capacity presenting for major non-cardiac surgery' Biccard B M, *Anaesthesia* 2004; **59**: 60–8 *J. Giles, J. Sear and P. Foëx*
B. Biccard
522 A response to 'Improving anaesthetists' communication skills, Harms C, Young J R, Amsler F, Zettler C, Scheidegger D and Kindler C H, *Anaesthesia* 2004; **59**: 166–72 *A. Cyna*
C. H. Kinder
523 A response to 'Checking anaesthetic equipment and the Expert Group on Blocked Anaesthetic Tubing (EGBAT)', Carter J A, *Anaesthesia* 2004; **59**: 105–7 *R. Marcus*

Number 6, June 2004

Editorial

525 Ethical dichotomies and methods of seeking consent *R. Worthington*

Original articles

528 Anaesthetists' intentions to violate safety guidelines *P. C. W. Beatty and S. F. Beatty*
541 Accuracy of the Foldes-Biro equation for measurement of oxygen uptake during anaesthesia: a laboratory simulation *C. Stuart-Andrews, P. Peyton, G. Robinson and B. Lithgow*
545 A prospective, randomised, single-blind pilot study to determine the effect of anaesthetic technique on troponin T release after off-pump coronary artery surgery *J. B. Kendall, G. N. Russell, N. D. A. Scawn, M. Akrofi, C. M. Cowan and M. A. Fox*
550 The role of prophylactic fresh frozen plasma in decreasing blood loss and correcting coagulopathy in cardiac surgery. A systematic review *A. C. Casbard, L. M. Williamson, M. F. Murphy, K. Rege and T. Johnson*
559 A comparison of nefopam and clonidine for the prevention of postanaesthetic shivering: A comparative, double-blind and placebo-controlled dose-ranging study *S. N. Piper, K. D. Röhm, S. W. Suttner, W. H. Maleck, P. Kranke and J. Boldt*
565 The effects of intrathecal diamorphine on gastric emptying after elective Caesarean section *H. King and P. Barclay*
570 The management of patients with morbid obesity in the anaesthetic assessment clinic *A. J. Coe, T. Saleh, T. Samuel and R. Edwards*
574 Effect of chronic β-blockade on peri-operative outcome in patients undergoing non-cardiac surgery: an analysis of observational and case control studies *J. W. Giles, J. W. Sear and P. Foëx*

Apparatus

584 Production of compound A and carbon monoxide in circle systems: an *in vitro* comparison of two carbon dioxide absorbents *M. M. R. F. Struys, M. P. L. A. Bouche, G. Rolly, Y. D. I. Vandevivere, D. Dyzers, W. Goeteyn, L. F. M. Versichelen, J. F. P. Van Bocxlaer and E. P. Mortier*

© 2004 Blackwell Publishing Ltd

590 Measurement of cardiac output by transpulmonary arterial thermodilution using a long radial artery catheter. A comparison with intermittent pulmonary artery thermodilution *R. M. L'E. Orme, D. W. Pigott and F. G. Mihm*

595 Ventilation of a model lung using various cricothyrotomy devices *R. M. Craven and R. G. Vanner*

600 Dead space and paediatric anaesthetic equipment: a physical lung model study *D. M. Miller, A. P. Adams and D. Light*

Case reports

607 Awake craniotomy for glioblastoma in a 9-year-old child *M. Klimek, S. J. C. Verbrugge, S. Roubos, E. van der Most, A. J. Vincent and J. Klein*

610 The use of bispectral index during a cardiopulmonary arrest: a potential predictor of cerebral perfusion *N. Azim and C. Y. Wang*

613 The impact of regional anaesthesia on outcome: a patient's perspective *P. B. Cornish, J. Barton and A. Deacon*

Correspondence

616 Canary needs help; send for Willie Sutton *R.O. Feneck*

617 Measuring tracheal pressure during jet ventilation *S. S. Dhara and E. H. C. Liu*
A. Diba and C. Patel

618 A faulty Bain circuit *C. Gooch and J. Peutrell*
R. Le Poidevin

618 The Cyclimorph® cough *D. Honan, S. Jacob, D. Malkan, P. Reinacher, H. U. Malik and E. Tierney*

619 Terlipressin for cerebral perfusion pressure support in a patient with septic shock *P. G. Bradley, E. K. Allen and D. K. Menon*

620 Use of the harmonic scalpel in a patient with a permanent pacemaker *S. P. Nandalan and R. G. Vanner*

621 Prefilled ephedrine syringes *A. S. Raj and S. Dhileepan*

622 Sneddon's syndrome and anaesthesia *J. M. Beleña, M. Nuñez, R. Cabeza and A. Puig*

622 Carbon dioxide pneumothorax treatment with positive end-expiratory pressure *M. Moore and K. O'Brien*

623 A leaking one-way rotating valve *A. Pickering and A. McIndoe*
G. Milward

624 Inadvertent epidural administration of metaraminol *R. Savage and*
C. Beattie

625 Reduction in pulmonary shunt using the Open Lung Concept *F. Agrò, G. Barzoi, D. J. Doyle and A. Manieri*

626 Auscultation of the chest after tracheal intubation *A. W. Khan and S. Morris*

626 The sterility of fentanyl vials *F. K. Bayshev*

627 A serious incident with the Blease Frontline Genius™ anaesthetic machine *K. Chandradeva J. Hawkins*

628 Failure of percutaneous tracheostomy forceps *D. Baines and J. Siser*
T. Morris

628 'Gas off' or 'vaporiser off' *S. Rassam and R. Baraz*
M. Stacey

628 Leak of TIVA from Y-connector *S. Yarham and N. Woodall*

630 Book review

Number 7, July 2004

Editorial

631 Editorial 1. Difficult airways – difficult decisions: Guidelines for publication? *W. A. Chambers*

633 Editorial 2. Risks and benefits of long-term intrathecal analgesia *D. Dickson*

Original articles

636 Propofol sedation using Diprifusor™ target-controlled infusion in adult intensive care unit patients *T. J. McMurray, J. R. Johnston, K. R. Milligan, I. S. Grant, S. J. Mackenzie, F. Servin, G. Janvier and J. B. Glen*

642 Ultrasound guidance for infraclavicular brachial plexus anaesthesia in children *P. Marhofer, C. Sitzwohl, M. Greher and S. Kapral*

647 Prevention of postoperative sore throat using capsicum plaster applied at the Korean hand acupuncture point *H. S. Park, K. S. Kim, H. K. Min and D. W. Kim*

652 The effects of tracheostomy cuff deflation during continuous positive airway pressure *D. H. Conway and C. Mackie*

658 Handover of responsibility for the anaesthetised patient – opinion and practice *J. Horn, M. D. D. Bell and E. Moss*

664 Evaluation of a local anaesthesia regimen following mastectomy *H. Talbot, S. P. Hutchinson, D. L. Edbrooke, I. Wrench and S. R. Kohlhardt*

668 A comparison of the intubating laryngeal mask airway and the Bonfils intubation fibrescope in patients with predicted difficult airways *B. Bein, F. Worthmann, J. Scholz, F. Brinkmann, P. H. Tonner, M. Steinfath and V. Dörges*

Special article

675 Difficult Airway Society guidelines for management of the unanticipated difficult intubation *J. J. Henderson, M. T. Popat, I. P. Latto and A. C. Pearce*

© 2004 Blackwell Publishing Ltd

Review article

695 Mast cell tryptase: a review of its physiology and clinical significance *V. Payne and P. C. A. Kam*

Apparatus

704 The 'fixed performance' venturi: effect of downstream pressure on outflow and F_{IO_2} *J. G. Jones*

710 Performance of an oxygen delivery device for weaning potentially infectious critically ill patients *C. Y. So, C. D. Gomersall, P. T. Chui and M. T. V. Chan*

Case report

715 Abdominal muscle action during expiration can impair pressure controlled ventilation *C. V. Prasad and G. B. Drummond*

Correspondence

719 Filters and small infants *A. Moores and G. T. Bell J. A. Carter*

720 Less caps, less connecting and instant monitoring *M. S. Gulati and J. A. Carter*

721 Change of datasheet for ketorolac *H. Boyce*

721 Algorithm for entropy monitor *D. Duncan J. Jakobsson*

722 Percutaneous tracheostomy and Creutzfeldt-Jakob Disease *D. J. Higgins and J. A. Kinnear*

723 Incorrectly placed oesophageal Doppler probe *G. S. Chandan and J. M. Hull*

723 Thoracic paravertebral block for breast surgery *G. Stamatiou, E. Athanasiou, M. Simeoforidou, P. Bakos and D. Michaloudis*

724 An unusual cause of excessive bleeding in a neurosurgical patient *K. P. Unnikrishnan, P. K. Sinha and P. R. Suneel*

725 Ultrasound guided 'low approach' femoral vein cannulation *E. Wilson, J. Hillier and J. Farrimond*

726 One-lung ventilation using the ProSeal™ laryngeal mask airway *M. Ozaki, K. Murashima and T. Fukutome*

726 ProSeal™ LMA aids orogastric tube insertion with a tracheal tube in place *E. L. Taylor, I. Ahmad and W. F. S. Sellers*

726 Use of the laryngeal mask airway in nasally intubated patients *T. Asai, K. Murao, T. Umegaki and K. Shingu*

727 An aid to difficult venous cannulation *R. K. Kota and S. D. Kota*

727 Dystonic reaction following anaesthesia *R. C. F. Sinclair and N. M. Bedforth*

728 Conversion reaction following anaesthesia *R. A. Haden*

729 Decreasing epidural failure *P. Picton and S. Das*

Online Correspondence

730 A response to 'A rare side-effect of intravenous salbutamol', Girgis M and Milner Q, *Anaesthesia* 2004; **59**: 196–7 *I. Sobolev*

730 A response to 'Acupuncture compared to placebo-acupuncture for postoperative nausea and vomiting prophylaxis: A randomised placebo-controlled patient and observer blind trial', Streitberger K, Diefenbacher M, Bauer A *et al. Anaesthesia* 2004; **59**: 142–9 *H. Lee and K. Streitberger*

731 A response to 'Pre-preparation of succinylcholine: significant waste for questionable benefit', Gurung A M and Tomlinson A A, *Anaesthesia* 2004; **59**: 211–2 *A. P. J. Lake*

731 A response to 'Pressures within air-filled tracheal cuffs at altitude – an *in vivo* study', Henning J, Sharley P and Young R, *Anaesthesia* 2004; **59**: 252–4 *D. J. F. Macdonald*

732 A response to 'Angiotensin-converting enzyme inhibitor related angioedema and the anaesthetist', Rai M R, Amen F and Idrees F, *Anaesthesia* 2004; **59**: 283–9 *A. Bhatia, H. Smith and M. Trivedi M. Rai*

733 A response to 'Another look at Dumfries', Martin L V H, *Anaesthesia* 2004; **59**: 180–7 *W. J. Peel and D. R. Ball L. V. H. Martin*

733 A response to 'Masseter muscle spasm following atracurium', Reddy K & Bromley L, *Anaesthesia* 2004; **59**: 513 *G. Jenkins*

Number 8, August 2004

Editorial

735 Shift work, the anaesthetist and Santayana's warning *D. A. D'Auria*

Original articles

738 Plasma volume changes associated with two hydroxyethyl starch colloids following acute hypovolaemia in volunteers *M. F. M. James, M. Y. Latoo, Michael G. Mythen, M. Mutch, Christian Michaelis, A. M. Roche and Edward Burdett*

743 Impact of spinal anaesthesia and obesity on maternal respiratory function during elective Caesarean section *B. S. von Ungern-Sternberg, A. Regli, E. Bucher, A. Reber and M. C. Schneider*

750 Reversal of vecuronium with neostigmine in patients with diabetes mellitus *Y. Saitoh, H. Hattori, N. Sanbe, H. Nakajima, M. Akatu and M. Murakawa*

755 Clearing the cervical spine after polytrauma: implementing unified management for unconscious victims in the intensive care unit *C. G. Morris and B. Mullan*

762 The effect of critical care outreach on postoperative serious adverse events *D. A. Story, A. C. Shelton, S. J. Poustie, N. J. Colin-Thome and P. L. McNicol*

© 2004 Blackwell Publishing Ltd

767 Variation in the transcription of laboratory data in an intensive care unit *R. Black, P. Woolman and J. Kinsella*
770 Provision of long-term venous access procedures by UK anaesthetists: A postal survey *D. Johnson and A. Bodenham*
775 An audit of peribulbar blockade using 15 mm, 25 mm and 37.5 mm needles, and sub-Tenon's injection *A. A. van den Berg*
781 Effects of the European Working Time Directive on anaesthetic training in the United Kingdom *D. J. Sim, S. R. Wrigley and S. Harris*

Special articles

785 Integrated approaches to academic anaesthesia – the Cambridge experience *D. K. Menon, D. W. Wheeler, I. A. Wilkins, P. D. Phillips, S. J. Fletcher, N. W. Penfold, H. L. Smith, A. K. Gupta and B. F. Matta*
793 An American tale – professional conflicts in anaesthesia in the United States: implications for the United Kingdom *M. Kane and A. F. Smith*

Review article

803 Ximelagatran, a new oral direct thrombin inhibitor, for the prevention of venous thromboembolic events in major elective orthopaedic surgery. Efficacy, safety and anaesthetic considerations *N. Rosencher*

Apparatus

811 Evaluation of Frova, single-use intubation introducer, in a manikin. Comparison with Eschmann multiple-use introducer and Portex single-use introducer *I. Hodzovic, I. P. Latto, A. R. Wilkes, J. E. Hall and W. W. Mapleson*
817 The air elimination capabilities of pressure infusion devices and fluid-warmers *J. Schnoor, S. Macko, I. Weber and R. Rossaint*

Correspondence

822 Consent for publication of a case report *E. Tierney D. Bogod*
823 Prepreparation of succinylcholine *D. Murray, R. S. Vaughan, P. Watt, R. Hugh James and J. Trinder A. M. Gurung and A. A. Tomlinson*
826 Methylene blue or patent blue? *R. Deam and D. M. A. Francis*
826 Failed gastric tube insertion in the LMA-ProSeal® *S. A. Khan, R. M. Khan, M. M. H. Siddiqi, R. Hartopp and J. P. Maynard D. Wardle*
828 Safety of the Pulsiocath® for haemodynamic monitoring during magnetic resonance imaging *J. Kampen, C. Liess, C. Casadio, P. H. Tonner, M. Reuter and J. Scholz*
829 Blockage of a fluid administration set *O. W. Pratt M. A. Burmeister, K. Faude and S. Naim*
830 Topiramate induced metabolic acidosis *Y. Ozer and H. Altunkaya*
830 Increased carbon dioxide during anaesthesia in patients with phaeochromocytoma *T. Asai and K. Shingu*
831 Proposal for a different ranking of anaesthesia journals *W. Tiefenthaler, M. Hohlrieder, H. Hauffe, Th. Heidegger and A. Benzer*
832 Critical incident due to a Guedel airway *S. P. Nandalan and A. Hiremath R. H. Whitehair*
833 A new use of rubber gloves for venous cannulation *F. Bryden and G. Neilson*
833 Tracheal intubation through a laryngeal mask may kink the pilot tube *T. Moeller-Bertram, J. L. Benumof and K. M. Kuczkowski*
834 Death from chloroform? *D. Zuck*
834 Euphemia Maclean, Agnes Sampson and pain relief during labour in 16th century Edinburgh *S. Lurie*
835 Breathing circuit failure due to surgical 'prep' solution *P. C. Gordon*
836 Another use for the LOCKIT epidural catheter clamp *C. H. Kindler*

Abstracts

837 Abstracts from the Vascular *Anaesthesia* Society of Great Britain and Ireland's Annual Scientific Meeting in Leicester, 8–9 September 2003

Number 9, September 2004

Editorial

841 'Safety in sleep': anaesthetists, patients and the European Working Time Directive *C. J. Cassidy, E. Griffiths and A. F. Smith*

Original articles

844 A randomised controlled trial of paediatric conscious sedation for dental treatment using intravenous midazolam combined with inhaled nitrous oxide or nitrous oxide/sevoflurane *P. A. Averley, N. M. Girdler, S. Bond, N. Steen and J. Steel*
853 A partially blinded randomised controlled trial of patient-maintained propofol sedation and operator controlled midazolam sedation in third molar extractions *J. A. Leitch, K. Anderson, S. Gambhir, K. Millar, N. D. Robb, S. McHugh and G. N. C. Kenny*
861 Epidural clonidine, bupivacaine and methadone as the sole analgesic agent after thoracotomy for lung resection *I. Matot, B. Drenger, C. Weissman, A. Shauli and Y. Gozal*
867 Alveolar and plasma concentrations of interleukin-8 and vascular endothelial growth factor following oesophagectomy *R. T. J. Cree, I. Warnell,*

© 2004 Blackwell Publishing Ltd

M. Staunton, I. Shaw, R. Bullock, S. M. Griffin and S. V. Baudouin

872 The effect of a mechanical glottis on peak expiratory flow rate and time to peak flow during a peak expiratory flow manoeuvre: A study in normal subjects and patients with motor neurone disease *M. Suleman, K. T. Abaza, C. Gornall, W. J. M. Kinnear, J. S. Wills and R. P. Mahajan*

876 The effect of celecoxib on intrathecal morphine-induced pruritus in patients undergoing Caesarean section *L. H. Y. Lee, M. G. Irwin, J. Lim and C. K. Wong*

881 Interobserver reliability between a nurse and anaesthetist of tests used for predicting difficult tracheal intubation *W. G. Hilditch, A. Kopka, J. M. Crawford and A. J. Asbury*

885 Antibiotic-treated infections in intensive care patients in the UK *B. H. Cuthbertson, M. Thompson, A. Sherry, M. M. Wright and G. J. Bellingan on behalf of the Intensive Care Society*

891 Maintenance of anaesthesia with sevoflurane or isoflurane effects on adverse airway events in smokers *M. R. Wild, C. B. Gornall, D. E. Griffiths and J. Curran*

894 Left lateral vs. supine, wedged position for development of block after combined spinal-epidural anaesthesia for Caesarean section *N. L. Lewis, E. L. Ritchie, J. P. Downer and M. R. Nel*

Review article

899 Intra-abdominal hypertension and the abdominal compartment syndrome *J. D. Hunter and Z. Damani*

Case reports

908 Intracranial pressure measurement, induced hypothermia and barbiturate coma in meningitis associated with intractable raised intracranial pressure *B. H. Cuthbertson, R. Dickson and A. Mackenzie*

912 Accidental tenfold overdose of propofol in a 6-month old infant undergoing elective craniosynostosis repair *B. Patermann, S. Buzello, M. Dück, M. Paul and S. Kampe*

Correspondence

915 Uptake of volatile agents *W. W. Mapleson and G. B. Drummond*
S.-T. Ho

917 Masseter muscle spasm and non-depolarising neuromuscular blocking agents *R. Seneviratne and M. W. M. Rucklidge*
K. Reddy and L. Bromley

918 Reluctance of anaesthetists to perform awake intubation *S. K. Basi, M. Cooper, F. B. Ahmed, S. G. Clarke and V. Mitchell*

918 Antihypertensives and angioedema *K. R. Ramkumar and A. Vuylsteke*

919 Emergency surgical airway training in Western Australia *D. O'Connor, R. Loughorn and A. Heard*

919 Pressures within air-filled tracheal cuffs at altitude *T. Lowes*

920 Prevention and management of laryngospasm *I. Ahmad and W. F. S. Sellers*

920 The use of bite blocks with laryngeal mask airways *S. Kruger and M. Human*

921 Well-fitting dentures – friend or foe? *T. Shah and N. Jones*

922 Equipment list for difficult airway management *T. Asai, I. P. Latto, D. Muthuswamy and S. Kiyama*

922 Use of combined spinal-epidural by obstetric anaesthetists *H. J. Blanshard and T. M. Cook*

923 Nasal intubation and previous cleft palate repair *K. J. Solan*

924 Risk of airway obstruction by disk from Murphy's eye *A. M. Chalmers, L. McKee and G. Anderson*
J. Reay

925 Apparent arterial desaturation due a nerve stimulator *D. B. Auyong and A. S. Habib*

925 Failure of the single-use bougie in acute epiglottitis *M. W. M. Rucklidge and A. Patel*

926 A remedy for difficult fibreoptic intubation *S. Haleem, R. M. Khan, M. M. H. Siddiqui and N. Bahl*

926 Inhibition of hiccups by the laryngeal mask airway *A. Baraka*

926 Liquid ecstasy during pregnancy *K. M. Kuczkowski*

Online Correspondence

927 A response to 'Magnet-safe is not the same as magnet compatible in the MR scanner', Keens S J and Laurence A S, *Anaesthesia* 2004; **59**: 516–7
J. J. A. Train

927 A response to 'Magnet-safe is not the same as magnet compatible in the MR scanner', Keens S J and Laurence A S, *Anaesthesia* 2004; **59**: 516–7 *P. Farling S. Laurence*

928 A response to 'Temperature measurement after severe head injury', Childs C *et al. Anaesthesia* 2004; **59**: 192–3 *W. M. Fallis*
C. Childs

928 A response to 'The effect of epidural analgesia in labour on maternal respiratory function', von Ungern-Sternberg B S *et al. Anaesthesia* 2004; **59**: 350–3 *T. Meek B. S. von Ungern-Sternberg, A. Regli and M. C. Schneider*

929 A response to 'The sterility of fentanyl vials', Bayshev F K, *Anaesthesia* 2004; **59**: 627 *G. MuraliKrishna*

929 A response to 'Auscultation of the chest after tracheal intubation', Khan A W and Morris S, *Anaesthesia* 2004; **59**: 626–7 *K. Greenland*

Abstracts

931 Abstracts presented at the Resuscitation Council (UK)'s Annual Scientific Meeting in London, 18 November 2003

© 2004 Blackwell Publishing Ltd

935 Abstracts presented at the summer meeting of the Association of Cardiothoracic Anaesthetists (ACTA) in Cambridge, June 2003, and the autumn meeting in London, November 2003

941 Erratum

Number 10, October 2004

Editorial

943 Editorial 1. Routine pre-oxygenation – a new 'minimum standard' of care? *M. D. Dominic Bell*

946 Editorial 2. Critical care rosters and workload *S. A. Ridley*

Original articles

948 Left ventricular mechanical performance in elderly patients after induction of anaesthesia. A comparison of inhalational induction with sevoflurane and intravenous induction with fentanyl and propofol *K. Nishikawa, N. Kanaya, M. Kawamata and A. Namiki*

954 Effect of propofol and isoflurane anaesthesia on the immune response to surgery *T. Inada, Y. Yamanouchi, S. Jomura, S. Sakamoto, M. Takahashi, T. Kambara and K. Shingu*

960 A National Survey of ICU consultant working practices at weekends *E. O. Thomas*

967 Non-invasive ventilation in surgical patients in a district general hospital *R. Badiger, M. Green, H. Hackwood, C. Palin and C. D. Shee*

971 The accuracy of trained nurses in pre-operative health assessment: results of the OPEN study *W. A. van Klei, P. J. Hennis, J. Moen, C. J. Kalkman and K. G. M. Moons*

979 Stability of an epidural analgesic admixture containing epinephrine, fentanyl and bupivacaine *M. J. Priston, J. M. Hughes, M. Santillo and I. W. Christie*

984 A pharmacokinetic study of piroxicam in children *P. Dix, D. P. Prosser and P. Streete*

988 Extending low-dose epidural analgesia for emergency Caesarean section using ropivacaine 0.75% *R. D. Sanders, S. Mallory, D. N. Lucas, T. Chan, S. Yeo and S. M. Yentis*

Review article

993 Vasopressin and terlipressin: pharmacology and its clinical relevance *P. C. A. Kam, S. Williams and F. F. Y. Yoong*

Special article

1002 Bibliometric analysis of original molecular biology research in anaesthesia *K. Schreiber, T. Girard and C. H. Kindler*

Apparatus

1008 Emergency cricothyrotomy: a randomised crossover trial comparing the wire-guided and catheter-over-needle techniques *B. G. Fikkers, S. van Vugt, J. G. van der Hoeven, F. J. A. van den Hoogen and H. A. M. Marres*

1012 A homemade model for training in cricothyrotomy *S. S. Varaday, S. M. Yentis and S. Clarke*

1016 The Cardiff paediatric laryngoscope blade: a comparison with the Miller size 1 and Macintosh size 2 laryngoscope blades *R. M. Jones, P. L. Jones, C. D. Gildersleve, J. E. Hall, L. J. E. Harding and M. S. Chawathe*

Case report

1020 Thyroid storm prior to induction of anaesthesia *E. A. Hirvonen, L. K. Niskanen and M. M. Niskanen*

1023 Ultrasound guidance for a lateral approach to the sciatic nerve in the popliteal fossa *C. J. L. McCartney, I. Brauner and V. W. S. Chan*

Correspondence

1026 Precautions against infection from anaesthetic procedures *M. Akioyame and P. Radford P. G. M. Wallace*

1027 Clearing the cervical spine in polytrauma *G. Imrie C. Morris and E. McCoy*

1028 Thoracic paravertebral blockade *K. Fitzgerald and D. Harmon Z. Naja and P. A. Lönnqvist*

1029 Emergency airway access equipment *B. E. McGuire R. Vanner and R. Craven*

1030 Respiratory obstruction secondary to laryngeal mask failure *A. J. England D. E. Wardle*

1031 Intra-operative 'hypertensive crisis' due to faulty transducer *A. Bhatia and I. Mackenzie R. D. Wallen*

1032 *Anaesthesia* after cleft palate repair *O. Dearlove, R. J. Perkins and G. Briggs*

1033 International Colour Coding for syringe drug labels: a survey *R. Baba and A. S. Ravalia*

1033 Monitoring seizures with the Bispectral index *R. E. Tallach, D. R. Ball and P. Jefferson*

1034 The double 'tails-up' capnograph *S. Rassam, J. Hall and J. Mecklenburgh*

1035 Incompatibility of defibrillators and electrode pads *F. Melvin and C. Brown*

1036 Correct positioning of feeding tubes *I. Ahmad*

1036 Sleep deprivation and performance *O. Dearlove and G. Briggs*

Abstracts

1037 Abstracts from the Pain Society's Annual Meeting in Manchester, 30 March–2 April 2004

1042 Abstracts from the Annual Meeting of the Difficult Airway Society in Edinburgh, December 2003

1047 Book reviews

© 2004 Blackwell Publishing Ltd

Number 11, November 2004

Editorial

1049 Long-term outcomes in survivors from critical illness *A. Wu and F. Gao*

Original articles

1053 Effectiveness of bupropion as an aid to stopping smoking before elective surgery: a randomised controlled trial *P. S. Myles, K. Leslie, M. Angliss, P. Mezzavia and L. Lee*

1059 Manual versus target-controlled infusions of propofol *D. S. Breslin, R. K. Mirakhur, J. E. Reid and A. Kyle*

1064 A BIS-guided study of sevoflurane requirements for adequate depth of anaesthesia in Caesarean section *K. J. Chin and S. W. Yeo*

1069 Effect of head posture on tracheal tube position in children *A. J. Olufolabi, G. A. Charlton and P. M. Spargo*

1073 The effects of cryoanalgesia combined with thoracic epidural analgesia in patients undergoing thoracotomy *M. K. Yang, C. H. Cho and Y. C. Kim*

1078 Comparison of surgical site and patient's history with a simplified risk score for the prediction of postoperative nausea and vomiting *C. C. Apfel, P. Kranke and L. H. J. Eberhart*

1083 Postoperative 12-lead ECG predicts peri-operative myocardial ischaemia associated with myocardial cell damage *B. W. Böttiger, J. Motsch, P. Teschendorf, G. C. Rehmert, R. Gust, M. Zorn, M. Schweizer, E. L. Layug, S. A. Snyder-Ramos, D. T. Mangano and E. Martin*

1091 Prehospital airway management in Ambulance Services in the United Kingdom *S. Ridgway, I. Hodzovic, M. Woollard and I. P. Latto*

1095 Clearing the cervical spine in unconscious adult trauma patients: A survey of practice in specialist centres in the UK *P. S. Jones, J. Wadley and M. Healy*

1100 Effect of non-selective, non-steroidal anti-inflammatory drugs and cyclo-oxygenase-2 selective inhibitors on the PFA-100 closure time *A. M. Blaicher, H. T. Landsteiner, J. Zwerina, U. Leitgeb, I. Volf and K. Hoerauf*

1104 Effect of xenon anaesthesia on accuracy of cardiac output measurement using partial CO_2 rebreathing *B. Bein, P. Hanne, R. Hanss, J. Renner, B. Weber, M. Steinfath, J. Scholz and P. H. Tonner*

1111 Changes of serum chloride and metabolic acid-base state in critical illness *G.-C. Funk, D. Doberer, G. Heinze, C. Madl, U. Holzinger and B. Schneeweiss*

1116 Ultrasound for central venous cannulation: economic evaluation of cost-effectiveness *N. Calvert, D. Hind, R. McWilliams, A. Davidson, C. A. Beverley and S. M. Thomas*

1121 A prospective audit of cost of sedation, analgesia and neuromuscular blockade in a large British ICU *M. Al-Haddad, I. Hayward and T. S. Walsh*

Apparatus

1126 Continuous Assessment of Right Ventricular Ejection Fraction: New pulmonary artery catheter versus transoesophageal echocardiography *W. Zink, J. Nöll, H. Rauch, H. Bauer, R. DeSimone, E. Martin and B. W. Böttiger*

1133 Accurate continuous drug delivery at low infusion rate with a novel microvolumetric infusion pump (MVIP): pump design, evaluation and comparison to the current standard *M. Weiss, S. Gerber, R. M. Füchslin and T. A. Neff*

Correspondence

1138 Teaching cannula cricothyroidotomy *T. D. A. Standley and F. D. Spears*

1139 Intubation via single-use laryngeal mask airways *G. C. Werrett and J. B. Carlisle*

1139 Oral dantrolene *G. C. Allen*
T. Krause, F. Wappler, M. Fiege and M. U. Gerbershagen

1140 Hazards of submental tracheal intubation *F. H. Altemir, S. H. Montero, S. H. Montero, E. H. Montero and M. M. Peña*

1140 Pulmonary aspiration through a Cobra PLA™ *C. Farrow and T. Cook*
D. D. Alfery and B. Quinn

1142 An unusual postoperative burn *D. Zuck*
P. Zuokumor

1143 Consent for publication of a case report *D. Honan*

1143 Manufacturers' response to criticism *I. Moppett and J. Spendlove*
M. H. Nathanson and D. Bogod

1143 The need to move the take-off point of the pilot tube *B. Singh*

1144 Inhibition of hiccups by the laryngeal mask airway is ineffective *J. Brimacombe and C. Keller*

1144 Strength of disposable laryngoscopes *C. G. Caesar and D. H. T. Scott*

1145 European Computer Driving Licence *S. A. Townley*

1145 A reusable ultrasound phantom *J. Chantler and L. Gale*

1146 Detection of impending abdominal compartment syndrome *S. K. Malhotra and D. Nakra*

1147 Chloroform, vitamin B12, and the tragic lives of Robert M. Glover and Horace Wells *T. A. Alston*

1148 Large ovarian cyst as a cause of aortocaval compression *K. M. Kuczkowski and D. Strock*

Online Correspondence

1149 A response to 'Abdominal muscle action during expiration can impair pressure controlled ventilation', Prasad CV and Drummond GB, *Anaesthesia* 2004; **59**: 715–8 *T. Ireland*
G. Drummond

© 2004 Blackwell Publishing Ltd

1149 A response to 'Decreasing epidural failure', Picton P and Das S, *Anaesthesia* 2004; **59**: 729 *M. Kadry*
1149 A response to 'Cerebral and extracerebral release of protein S100B in cardiac surgical patients', Snyder-Ramos SA, Gruhlke T, Bauer H, Bauer M, Luntz AP, Motsch J, Martin E, Vahl CF, Missler U, Wiesmann M and Bottiger BW, *Anaesthesia* 2004; **59**: 344–9 *D. Janigro, S. A. Snyder-Ramos, T. Gruhlke, H. Bauer, M. Bauer, S. P. Luntz, J. Motsch, E. Martin, C. F. Vahl, U. Missler, M. Wiesmann and B. W. Böttiger*
1150 A response to 'Difficult Airway Society guidelines for management of the unanticipated difficult intubation', Henderson JJ, Popat MT, Latto IP and Pearce AC, *Anaesthesia* 2004; **59**: 675-94 *R. Segal*
1151 A response to 'Effect of chronic B-blockade on peri-operative outcome in patients undergoing non-cardiac surgery: an analysis of observational and case control studies', Giles JW, Sear JW and Foex P, *Anaesthesia* 2004; **59**: 574-83 *E. G. Pivalizza and R. D. Warters*
J. Giles
1152 A response to 'Difficult Airway Society guidelines for management of the unanticipated difficult intubation', Henderson JJ, Popat MT, Latto IP and Pearce AC, *Anaesthesia* 2004; **59**: 675-94 *W. F. S. Sellers*
1152 A response to 'The effect of critical care outreach on postoperative serious adverse events', Story DA, Shelton AC, Poustie SJ, Colin-Thome NJ and McNicol PL, *Anaesthesia* 2004; **59**: 762-6
J. B. Sartain

1153 Book review

Number 12, December 2004

Editorial
1155 Editorial 1. The Nazi Hypothermia Experiments: Forbidden Data? *D. Bogod*
1157 Editorial 2. Early thoughts on 'Why Mothers Die 2000–2002' *P. A. Clyburn*

Original articles
1160 The prognostic value of pre-operative predicted forced vital capacity in corrective spinal surgery for Duchenne's muscular dystrophy *C. M. Harper, G. Ambler and G. Edge*
1163 Ease of insertion of the laryngeal tube during manual-in-line neck stabilisation *T. Asai, A. G. Marfin, J. Thompson, M. Popat and K. Shingu*
1167 Comparison of Propofol-Lipuro with propofol mixed with lidocaine 10 mg on propofol injection pain *E. Kam, M. S. Abdul-Latif and A. McCluskey*
1170 Cardiovascular response to acute normovolaemic haemodilution in patients with severe aortic stenosis: assessment with transoesophageal echocardiography *M. Licker, C. Ellenberger, N. Murith, D. Tassaux, J. Sierra, J. Diaper and D. R. Morel*
1178 Cardiovascular effects of xenon and nitrous oxide in patients during fentanyl-midazolam anaesthesia *T. Goto, P. Hanne, Y. Ishiguro, F. Ichinose, Y. Niimi and S. Morita*
1184 Transoesophageal echocardiography is unreliable for cardiac output assessment after cardiac surgery compared with thermodilution *D. A. Bettex, V. Hinselmann, J. P. Hellermann, R. Jenni and E. R. Schmid*
1193 Prescription errors in UK critical care units *S. A. Ridley, S. A. Booth, C. M. Thompson and the Intensive Care Society's Working Group on Adverse Incidents*

Special article
1201 Pharmacokinetics of sevoflurane uptake into the brain *M. J. Turner, T. J. McCulloch, R. R. Kennedy and A. B. Baker*

Apparatus
1207 Tracheal intubation using the Bonfils intubation fibrescope after failed direct laryngoscopy *B. Bein, M. Yan, P. H. Tonner, J. Scholz, M. Steinfath and V. Dörges*

Case reports
1210 Use of alpha-agonists for management of anaphylaxis occurring under anaesthesia: case studies and review *M. Heytman and A. Rainbird*
1216 Effective doses of vecuronium in a patient with myotonic dystrophy *M. Nishi, H. Itoh, T. Tsubokawa, T. Taniguchi and K. Yamamoto*
1219 Postoperative complications after CS spray exposure *A. Davey and I. K. Moppett*
1221 Microbial keratitis in ITU staff: an occupational hazard? *D. G. Ezra, S. Goyal, R. Moosavi, M. Millar, H. C. Laganowski and A. T. Moore*
1224 Anaesthetic and intensive care management of a patient with Ehlers–Danlos Type IV syndrome after laparotomy *K. Solan and P. Davies*
1228 Severe lactic acidosis following alcohol related generalised seizures *J. Hulme and N. Sherwood*

Historical article
1231 The history of spinal needles: getting to the point *N. Calthorpe*

Correspondence
1242 Difficult Airway Society guidelines *J. Henderson and M. Popat*
P. Latto and A. Pearce
T. M. Cook
S. Q. M. Tighe
J. C. Watts and S. R. Price
C. D. Miller
W. A. Chambers

© 2004 Blackwell Publishing Ltd

1247 Professional conflicts in anaesthesia in the United States *S. M. Ouellette*

1248 Training and assessment of competency of trainees in the transfer of critically ill patients *C. Spencer, P. Watkinson and A. McCluskey*

1249 Use of dornase alfa in the management of ARDS *C. Morris and B. Mullan*

1249 Warming patients in the lithotomy position *D. Robinson and S. Anis*

1250 Influence of the prone position on propofol pharmacokinetics *D. Takizawa, H. Hiraoka, K. Nakamura, K. Yamamoto and R. Horiuchi*

1251 Excess delivery of isoflurane liquid from a syringe driver *J. D. R. Henning and R. Bateman H. Lambert*

1251 Reaction between parecoxib and vecuronium *F. Plaat and O. Katsarka V. Patroe*

1252 Sub-Tenon's block without hyaluronidase *S. Radhakrishna, F. Shekawat and G. Furlong*

1253 Inadvertent overdose of muscle relaxants *C. Whymark and A. D. MacLeod*

1253 Is euphoria a side-effect of lidocaine? *A. Zeidan and A. Baraka*

1254 Carbon dioxide in laryngeal mask airway cuffs *J. Mües and W. F. S. Sellers*

1254 Disruption of the oxygen supply to a heart–lung machine *A. L. Braida, M. Mandly and T. J. Papadimos*

1255 Use of a gum elastic bougie in the oesophagus to guide the ProSeal™ LMA *W. F. S. Sellers*

1255 Erratum

1256 Deaths of members reported to Council September 2003 to October 2004

1257 Author/Keyword index

© 2004 Blackwell Publishing Ltd